

NYSE SYMBOLOGY

Version Date

1.0d 17 May 2024



PREFACE

DOCUMENT HISTORY

The following table provides a description of all changes to this document.

VERSION NO.	DATE	CHANGE DESCRIPTION
1.0	10/02/2002	Issued
1.0a	12/21/2009	Formatted into new template
	08/22/2012	Document rebranded with new NYSE Technologies template
1.0b	03/12/2015	Corrected "upwards of" to "up to" everywhere
1.0c	03/23/2015	Corrected translation: rw <-> RTWI
1.0d	05/17/2024	Updated NYSE branding Updated Contact information

CONTACT INFORMATION

Service Desk

Telephone: +1 212 896 2830 (International)

Email: <u>support@nyse.com</u>

1. FURTHER INFORMATION

- For additional product information please visit, https://www.nyse.com/data-products
- For updated capacity figures, visit our capacity pages <u>here.</u>
- For details of IP addresses, visit our IP address pages <u>here.</u>

2. GLOSSARY

TERM	DEFINITION
Host Format	The format of symbol and suffixes that are used by NYSE systems.
Line Format	The format of symbol and suffixes that can be found on the CTA feeds.
Root	In the symbol format, this represents the first part of that format that is uniquely assigned to each company/index. In terms of format, the Host format matches the Line format for this part of the symbol.
Suffix	In the symbol format, this represents the second part of that format that generally represents additional securities for a company. In terms of format, the Host format differs from the Line format for this part of the symbol.
Temporary Suffix	A suffix that is added temporarily to an existing security symbol as an indicator for the security.



CONTENTS

1.	INTRODUCTION	4
	NYSE SYMBOL FORMAT	
	SYMBOL FORMAT	
	1 Symbols using only a Root	
3.	NYSE HOST TO LINE SYMBOL FORMAT MAPPING	é
	HOST TO LINE DIFFERENCE	
_	HOST SUFFIX TO LINE SUFFIX TABLE	_
3.3	LINE SUFFIX TO HOST SUFFIX TABLE	10
4.	NYSE TEMPORARY SUFFIXES	14
4.1	NYSE TEMPORARY SUFFIXES	14



1. INTRODUCTION

The NYSE Host Symbol Format is used consistently within the NYSE technical infrastructure and has been in use since the development of the early systems. However, for publishing purposes, Market Data Systems traditionally had to convert the symbol format to a format specified by reporting systems. With the introduction of the NYSE PDP products, much of the data is derived from systems that do not have connections to the Market Data Systems. As part of the decision to move forward, NYSE decided to use the Host format in the distribution of PDP products. This decision would remove possible inconsistencies between future products and would allow the customers the ultimate decision on the implementation of symbol formats.



2. NYSE SYMBOL FORMAT

2.1 SYMBOL FORMAT

In all PDP implementations, the symbol field within a message is allocated to contain 16 characters. Although many of the NYSE symbols take much less space, the allocation is necessary for future growth of symbols. The NYSE defines the symbol into two parts: a root and a suffix. The root constitutes the first part of the symbol and it can be up to six characters (although traditionally, most symbols representing companies only use a three-character root). For securities that require suffixes, the second part of the symbol represents the suffix field and can contain up to 10 characters.

To differentiate between a root and suffix, there will be a single space between the two parts. For the symbol ZZZ Preferred A (Line ZZZ.pA, Host ZZZ.PRA), the following format applies: 'ZZZ PRA'

In the case that the symbol must consume 16 spaces, the format will not be space separated, instead, the data will fill the complete area where the root ends after the sixth location and the suffix begins at the seventh location:

'RRRRRSSSSSSSSS'

Note, that in all formats, there will be no NULL character that ends the symbol.

2.1.1 Symbols using only a Root

For the PDP implementation, the symbol with only a root will have the root characters starting at the first position of the 16-character area. A root can have up to six characters. Since there is no suffix, the remaining space will be filled with a space ''.

For example, for symbol ZZZ, the following will be the representative format:

'ZZZ '



3. NYSE HOST TO LINE SYMBOL FORMAT MAPPING

3.1 HOST TO LINE DIFFERENCE

In general, the root part of the symbol does not differ from Line (CTA format) as compared to the Host format. The differences lie specifically in the use of separator and the suffix. The NYSE Host Symbol Format does not use the " or lowercase notation. Instead, the NYSE Host Symbol Format uses a space between the root and the suffix is always represented with capital letters. As for the suffix differences, this section describes a generalized approach for the conversion. Unfortunately, this conversion does not apply in all cases. In addition, sometimes securities will have suffixes as their primary stock. Please refer to the exceptions section to determine the stocks that do not follow the rules stated in this section. Note: this document serves only as a guideline. If the conversion does not work, you may have an exception that may have not been discovered. Please contact the Global Service Desk to inform us.

3.2 HOST SUFFIX TO LINE SUFFIX TABLE

The following table contains the mapping of suffixes between Line and Host suffix. Please refer to the next section for the reverse mapping. Note, that the . and / are interchangeable for Line suffix. Additional note: there is not a 100 % foolproof method of doing the conversion from Host to Line suffix. This is because of the "loss" of data when the line suffix is converted from host. According to the table below, the occurrence should be rare but it may be possible. For example, the stock ZZZ/Pr would translate to ZZZ PRT (ZZZ Class P with rights). Additionally, the stock ZZZpT would also translate to ZZZ PRT (ZZZ Preferred T). Given the documentation below, the ZZZ/Pr should never occur but be careful when implementing. If you have doubts or if it does not match, please contact the Global Service Desk for clarification.

Table 1 Host Suffix to Line Suffix Table

HOST	LINE	DESCRIPTION
<v></v>	/ <v></v>	<v> represents a character; Series (or Class) A-T & V-Z; Examples include the following: ZZZ A is the same as ZZZ/A ZZZ T is the same as ZZZ/T</v>
<v>CL</v>	/ <v>/CL</v>	Series (or Class) A-T & V-Z Called; Example includes the following: ZZZ ACL is the same as ZZZ/A/CL
<v>CV</v>	/ <v>/CV</v>	Series (or Class) A-T & V-Z Convertible; Example includes the following: ZZZ ACV is the same as ZZZ/A/CV
<v>WI</v>	/ <v>w</v>	Series (or Class) A-T & V-Z When Issued; Examples include the following: ZZZ AWI is the same as ZZZ/Aw
CL	/CL	Called. Examples include the following: ZZZ CL is the same as ZZZ/CL



Table 2 Version 1.1 Last Modified: 10/2/2002 Page 9

HOST	LINE	DESCRIPTION
СТ	/CT	Certificates. Examples include the following: ZZZ CT is the same as ZZZ/CT
CV	/CV	Convertible. Examples include the following: ZZZ CV is the same as ZZZ/CV (ZZZ/CV)
CVR	/CVR	Contingent Value Right. Examples include the following: ZZZ CVR is the same as ZZZ/CVR
CVCL	/CV/CL	Convertible Called. Examples include the following: ZZZ CVCL is the same as ZZZ/CV/CL
DP	/DP	Amount of most recent dividend to go "ex-distribution". Example includes the following: ZZZ DP is the same as ZZZ/DP
DV	/DV	Accumulated dividend per share, net of expenses, through and including the previous day's close of trading Example includes the following: ZZZ DV is the same as ZZZ/DV
EC	/EC	Emerging Company Marketplace. Example includes the following: ZZZ EC is the same as ZZZ/EC
EU	/EU	Estimated cash amount for creation unit. Example includes the following: ZZZ EU is the same as ZZZ/EU
FN	/F/N	Foreign News. Example includes the following: ZZZ FN is the same as ZZZ/F/N
ID	/ID	Index – differentiates an index from a stock with the same root symbol. Example includes the following: III ID is the same as III/ID
IV	/IV	Intra-day Net Asset Value per share. Example includes the following: ZZZ IV is the same as ZZZ/IV
NV	/NV	Net Asset Value per share, as of the close on the previous trading day. Example includes the following: ZZZ NV is the same as ZZZ/NV
PP	/PP	Partial Paid. Example includes the following: ZZZ PP is the same as ZZZ/PP



Table 3 Version 1.1 Last Modified: 10/2/2002 Page 10

HOST	LINE	DESCRIPTION
PTCL	/PT/CL	Part Called. Example includes the following: ZZZ PTCL is the same as ZZZ/PT/CL
PR	р	Preferred. Example includes the following: ZZZ PR is the same as ZZZp
PR <v></v>	p <v></v>	<v> represents a character; Preferred Series A-T & V-Z; Examples include the following: ZZZ PRA is the same as ZZZpA ZZZ PRB is the same as ZZZpB</v>
PR <v>CL</v>	p <v>/CL</v>	<v> represents a character; Preferred Series A-T & V-Z Called; Examples include the following: ZZZ PRACL is the same as ZZZpA/CL ZZZ PRBCL is the same as ZZZpB/CL</v>
PR <v>CV</v>	p <v>/CV</v>	<v> represents a character; Preferred Series A-T & V-Z Convertible; Examples include the following: ZZZ PRACV is the same as ZZZpA/CV ZZZ PRBCV is the same as ZZZpB/CV</v>
PR <v>WI</v>	p <v>w</v>	<v> represents a character; Preferred Series A-T & V-Z When Issued; Examples include the following: ZZZ PRAWI is the same as ZZZpAw ZZZ PRBWI is the same as ZZZpBw</v>
PRWI	pw	Preferred When Issued; Examples include the following: ZZZ PRWI is the same as ZZZpw
PRCL	p/CL	Preferred Called; Examples include the following: ZZZ PRCL is the same as ZZZp/CL
PRCV	p/CV	Preferred Convertible; Examples include the following: ZZZ PRCV is the same as ZZZp/CV
PRWD	p/WD	Preferred When Distributed; Examples include the following: ZZZ PRWD is the same as ZZZp/WD
PRC <v></v>	pC <v></v>	Indicates Class A; could also be B-K and M-S; Second Category of Preferred; Examples include the following: ZZZ PRCA is the same as ZZZpCA ZZZ PRCB is the same as ZZZpCB
RT	r	Rights. Examples include: ZZZ R is the same as ZZZr
RTWI	rw	Rights When Issued. Examples include: ZZZ RTWI is the same as ZZZrw
SC	/SC	Small Corporate Offering Registration. Example includes the following: ZZZ SC is the same as ZZZ/SC



Table 4 Version 1.1 Last Modified: 10/2/2002 Page 11

HOST	LINE	DESCRIPTION
SP	/SP	Special. Example includes the following: ZZZ SP is the same as ZZZ/SP
SD	/SD	Stamped. Example includes the following: ZZZ SD is the same as ZZZ/SD
SO	/SO	Current shares outstanding. in thousands. Example includes the following: ZZZ SO is the same as ZZZ/SO
TC	/TC	Total cash amount per creation unit in thousands. Example includes the following: ZZZ TC is the same as ZZZ/TC
TEST	/TEST	Exclusive suffix used for intraday test message. Example includes the following: ZZZ TEST is the same as ZZZ/TEST
TT	/тт	Tier II Securities Example includes the following: ZZZ TT is the same as ZZZ/TT
U	/U	Units (a combination of securities composed of two or more of warrants, common stocks, preferred stocks and/or bonds) Example includes the following: ZZZ U is the same as ZZZ/U
VR	/VR	Variable Common Rights. Example includes the following: ZZZ VR is the same as ZZZ/VR
WD	/WD	When Distributed. Example includes the following: ZZZ WD is the same as ZZZ/WD
WI	w	When Issued. Example includes the following: ZZZ WI is the same as ZZZw
WS	/WS	Warrants. Example includes the following: ZZZ WS is the same as ZZZ/WS
WWS	/W/WS	With Warrants. Example includes the following: ZZZ WWS is the same as ZZZ/W/WS
WS <v></v>	/WS/ <v></v>	Warrants Series <v>; Series A-T & V-Z. Example includes the following: ZZZ WSA is the same as ZZZ/WSA</v>
WSWI	/WSw	Warrants When Issued.



Table 5 Version 1.1 Last Modified: 10/2/2002 Page 12

HOST	LINE	DESCRIPTION
		Example includes the following:
		ZZZ WSWI is the same as ZZZ/WSw

3.3 LINE SUFFIX TO HOST SUFFIX TABLE

The following table contains the mapping of suffixes between Host and Line suffix. Please refer to the previous section for the reverse mapping.

Table 6 Line Suffix to Host Suffix Table

LINE	HOST	DESCRIPTION
/ <v></v>	<v></v>	<v> represents a character; Series (or Class) A-T & V-Z; Examples include the following: ZZZ A is the same as ZZZ/A ZZZ T is the same as ZZZ/T</v>
/ <v>/CL</v>	<v>CL</v>	Series (or Class) A-T $\&$ V-Z Called; Example includes the following: ZZZ ACL is the same as ZZZ/A/CL
/ <v>/CV</v>	<v>CV</v>	Series (or Class) A-T & V-Z Convertible; Example includes the following: ZZZ ACV is the same as ZZZ/A/CV
/ <v>w</v>	<v>WI</v>	Series (or Class) A-T & V-Z When Issued; Examples include the following: ZZZ AWI is the same as ZZZ/Aw
/CL	CL	Called. Examples include the following: ZZZ CL is the same as ZZZ/CL
/CT	СТ	Certificates. Examples include the following: ZZZ CT is the same as ZZZ/CT
/CV	CV	Convertible. Examples include the following: ZZZ CV is the same as ZZZ/CV (ZZZ/CV)
/CVR	CVR	Contingent Value Right. Examples include the following: ZZZ CVR is the same as ZZZ/CVR
/CV/CL	CVCL	Convertible Called. Examples include the following: ZZZ CVCL is the same as ZZZ/CV/CL
/DP	DP	Amount of most recent dividend to go "ex-distribution". Example includes the following: ZZZ DP is the same as ZZZ/DP
/DV	DV	Accumulated dividend per share, net of expenses, through and including the previous day's close of trading



Table 7 Version 1.1 Last Modified: 10/2/2002 Page 13

HOST	LINE	DESCRIPTION
		Example includes the following: ZZZ DV is the same as ZZZ/DV
/EC	EC	Emerging Company Marketplace. Example includes the following: ZZZ EC is the same as ZZZ/EC
/EU	EU	Estimated cash amount for creation unit. Example includes the following: ZZZ EU is the same as ZZZ/EU
/F/N	FN	Foreign News. Example includes the following: ZZZ FN is the same as ZZZ/F/N
/ID	ID	Index – differentiates an index from a stock with the same root symbol. Example includes the following: III ID is the same as III/ID
/IV	IV	Intra-day Net Asset Value per share. Example includes the following: ZZZ IV is the same as ZZZ/IV
/NV	NV	Net Asset Value per share, as of the close on the previous trading day. Example includes the following: ZZZ NV is the same as ZZZ/NV
/PP	PP	Partial Paid. Example includes the following: ZZZ PP is the same as ZZZ/PP
/PT/CL	PTCL	Part Called. Example includes the following: ZZZ PTCL is the same as ZZZ/PT/CL
р	PR	Preferred. Example includes the following: ZZZ PR is the same as ZZZp
p <v></v>	PR <v></v>	<v> represents a character; Preferred Series A-T & V-Z; Examples include the following: ZZZ PRA is the same as ZZZpA ZZZ PRB is the same as ZZZpB</v>
p <v>/CL</v>	PR <v>CL</v>	<v> represents a character; Preferred Series A-T & V-Z Called; Examples include the following: ZZZ PRACL is the same as ZZZpA/CL ZZZ PRBCL is the same as ZZZpB/CL</v>
p <v>/CV</v>	PR <v>CV</v>	<v> represents a character; Preferred Series A-T & V-Z Convertible; Examples include the following: ZZZ PRACV is the same as ZZZpA/CV</v>



Table 8 Version 1.1 Last Modified: 10/2/2002 Page 14

HOST	LINE	DESCRIPTION
pw	PRWI	Preferred When Issued; Examples include the following: ZZZ PRWI is the same as ZZZpw
p/CL	PRCL	Preferred Called; Examples include the following: ZZZ PRCL is the same as ZZZp/CL
p/CV	PRCV	Preferred Convertible; Examples include the following: ZZZ PRCV is the same as ZZZp/CV
p/WD	PRWD	Preferred When Distributed; Examples include the following: ZZZ PRWD is the same as ZZZp/WD
pC <v></v>	PRC <v></v>	Indicates Class A; could also be B-K and M-S; Second Category of Preferred; Examples include the following: ZZZ PRCA is the same as ZZZpCA ZZZ PRCB is the same as ZZZpCB
r	R	Rights. Examples include: ZZZ R is the same as ZZZr
rw	RTWI	Rights When Issued. Examples include: ZZZ RTWI is the same as ZZZrw
/SC	SC	Small Corporate Offering Registration. Example includes the following: ZZZ SC is the same as ZZZ/SC
/SP	SP	Special. Example includes the following: ZZZ SP is the same as ZZZ/SP
/SD	SD	Stamped. Example includes the following: ZZZ SD is the same as ZZZ/SD
/SO	SO	Current shares outstanding. in thousands. Example includes the following: ZZZ SO is the same as ZZZ/SO
/TC	тс	Total cash amount per creation unit in thousands. Example includes the following: ZZZ TC is the same as ZZZ/TC
/TEST	TEST	Exclusive suffix used for intraday test message. Example includes the following: ZZZ TEST is the same as ZZZ/TEST
/TT	TT	Tier II Securities Example includes the following:



Table 9 Version 1.1 Last Modified: 10/2/2002 Page 15

HOST	LINE	DESCRIPTION
		ZZZ TT is the same as ZZZ/TT
/U	U	Units (a combination of securities composed of two or more of warrants, common stocks, preferred stocks and/or bonds) Example includes the following: ZZZ U is the same as ZZZ/U
/VR	VR	Variable Common Rights. Example includes the following: ZZZ VR is the same as ZZZ/VR
/WD	WD	When Distributed. Example includes the following: ZZZ WD is the same as ZZZ/WD

HOST	LINE	DESCRIPTION
w	WI	When Issued. Example includes the following: ZZZ WI is the same as ZZZw
/WS	WS	Warrants. Example includes the following: ZZZ WS is the same as ZZZ/WS
/W/WS	WWS	With Warrants. Example includes the following: ZZZ WWS is the same as ZZZ/W/WS
/WS/ <v></v>	WS <v></v>	Warrants Series <v>; Series A-T & V-Z. Example includes the following: ZZZ WSA is the same as ZZZ/WSA</v>
/WSw	WSWI	Warrants When Issued. Example includes the following: ZZZ WSWI is the same as ZZZ/WSw



4. NYSE TEMPORARY SUFFIXES

4.1 NYSE TEMPORARY SUFFIXES

The temporary suffix represents a temporary change to the underlying security due to market conditions. Note: Temporary suffixes are represented in a codified "Temporary Suffix" field. For the PDP symbols, only the Line format will contain the temporary suffix, the Host format will not.

Table 10 NYSE Temporary Suffixes

HOST	LINE	DESCRIPTION
	XD	Ex-Dividend. Examples include the following: ZZZ XD is the same as ZZZ/XD
	XDIS	Ex-Distribution. Examples include the following: ZZZ XDIS is the same as ZZZ/XDIS
	X(r/t)	Ex-Rights. Examples include the following: ZZZ XR is the same as ZZZ/X(r/t)
	N	New. Examples include the following: ZZZ N is the same as ZZZ/N
	XI	Ex-Interest. Examples include the following: ZZZ XI is the same as ZZZ/XI