

TAQ PRODUCTS CLIENT SPECIFICATION

(PILLAR INTEGRATED, BBO, TRADES AND IMBALANCE FEEDS)

NYSE AMERICAN NYSE ARCA NYSE CHICAGO NYSE NATIONAL

Version Date

2.3j February 22, 2024



PREFACE

DOCUMENT HISTORY

| VERSION | DATE | CHANGE DESCRIPTION |
|---------|-----------------------|--|
| NO. | | |
| 2.1 | Feb 24, 2017 | Changes for XDP 2.1 Increased accuracy of all timestamps to nanoseconds (nnnnnnnn) New values E and L in Security Status and Market State fields of Security Status message Added exchange code V for IEX in Security Status message Blanked out DB Exec ID field in Execution and Non-Displayed Trade msgs Added Retail Price Improvement msg, type 114 Added Indicative Match Price field to Imbalance msg RPI Indicator in Quote message now published by the Arca exchange |
| 2.1a | Apr 25, 2017 | Appendix B: corrected ftp file extensions to .gz and explanatory text |
| 2.1b | May 18, 2017 | Added new fields to Imbalance msg to support LULD amendment 12 Corrected external links and contact information |
| 2.1c | May 25, 2017 | Clarified/corrected Data Type information in 2.2 Corrected certain formatting |
| 2.1d | September 12, 2017 | no changes in feed behavior, only spec clarifications Updated Imbalance msg field descriptions and Appendix A to include specialized information for NYSE Tape A symbols Added NYSE to message publication times Corrected description of DBExecID field for NYSE Tape A symbols |
| 2.1e | November 17, 2017 | Updated doc to reflect correct NYSE Integrated Tape A filenames during interim (January 18, 2018 to Q2 2018) interim period |
| 2.1f | December 04, 2017 | Updated to mention that for Arca TAQ XDP products only, Symbol Index Mapping Message fields "MPV" and "Unit of Trade" may be blank until a date TBD |
| 2.1g | February 02, 2018 | Updated to include the NYSE National exchange |
| 2.1h | May 01, 2018 | Updated to accommodate other markets. Updated to include the new product offerings for historical TAQ NYSE Arca BBO and TAQ NYSE Arca Order Imbalances. Updated doc to include changes for TAQ NYSE Arca Trades in alignment with the realtime NYSE Arca Trades Feed. Eliminated a separate file for TAQ NYSE Arca Bust. TAQ NYSE Arca Trade includes Message types 220,221,222,and 223. Updated the access platform from NYSE FTP2(ftp2.nyxdata.com) to Managed File Transfer (MFT) on https://mftus.nyx.com/. MPV & Unit of Trade fields in the Symbol Index Mapping Message (Msg Type 3) are now populated for NYSE ARCA as with all markets. File name change for TAQ NYSE Arca Trades from EQY_US_ALL_ARCA_TRADE/EQY_US_ALL_ARCA_TRADE_YYYYMM/TAQ_ArcaEq_Trade_YYYYMMDD.csv.gz |



| VERSION NO. | DATE | CHANGE DESCRIPTION |
|----------------|----------------------|--|
| | | Updated the Imbalance the Clearing Price fields and 7 trailing fields – no longer set to 0 for Arca and American. Corrected 7 trailing fields: for NYSE, 0 for now. |
| 2.2 | November 30, 2018 | Updated to include NYSE Tape A changes, specifically to the Imbalance Message, Msg Type 105 (3 additional fields – UnpairedQty, UnpairedSide, SignificantImbalance). |
| | | Additional information on NYSE Auctions. Refer to Appendix (etc.) |
| 2.2 a | January 31, 2019 | Added support for the publication NYSE TRF Market Data - New Message Types 215 - 219. |
| 2.2b | March 18, | Additional clarification on new TRF filename and additional Integrated Feed files. |
| | 2019 | Updated imbalance publication timer in NYSE to 3:50pm. |
| | | Added Appendix C with additional historical TAQ file availability. |
| | | Eliminated quote conditions in Quote Message (140) - C and W (NYSE only) |
| 2.2c | April 30, 2019 | Updated Trade Conditions for the TRF Market Data messages (Msg Type 215 - 219). |
| 2.2d | May 14, 2019 | Updated Security Type in symbol Index mapping message (msg type 3) for Pillar Tape A migration. |
| 2.3 | June 21, 2019 | Added support for new exchange, NYSE Chicago - additional TAQ files for Integrated, BBO and Trades. |
| 2.3a | February 26, 2020 | Added support for new TAQ Arca Integrated files corresponding to the ARCA Hardware expansion - effective June 1, 2020. |
| | | Added additional history for TAQ Arca Integrated. Refer to Appendix C. |
| 2.3b | May 28, 2020 | Date correction for new TAQ Arca Integrated files corresponding to the ARCA Hardware expansion - effective August 3, 2020. |
| 2.3c | Aug 28, 2020 | Added CTS Halt Reasons and CQS Security Status Indicators on msgtype 34 - effective Q4 2020. |
| 2.3d | Nov 1, 2021 | Added new file delivery method via AWS Cloud S3. |
| | | Backfilled additional history for the TAQ NYSE Arca Order Imbalances product for the timeframe 1/30/2012-12/31/2017. |
| | | Updated NYSE Arca Order Imbalances Early Auction opening time. |
| 2.3e | Jan 28, 2022 | Addition of Trade Conditions 1-4 on msgtype 103 and msgtype 110, in place of DBEXECID on the Integrated Feed TAQ |
| | | Addition of 'B' Begin Accepting Orders security status in msgtype 34. |
| 2.3f | Mar 21, 2022 | Updated document with new NYSE logo and branding. No content changes. |
| 2.3g | May 16, 2022 | TAQ Integrated Msgtype 101 - Updated Modify message 'Reserved 1' field (field 10) to 'Side' (ASCII) |
| | | TAQ Integrated Msgtype 104 - Updated Replace message 'Reserved 1' field (field 10) to 'Side' (ASCII) |



| VERSION NO. | DATE | CHANGE DESCRIPTION |
|--------------|-----------------------|--|
| 2.3h | September 15, 2022 | Updated Section 1.3.3 - Additional TAQ files corresponding to new channels on the Arca Integrated Feed - Oct 2022 |
| 2.3i | November 30, 2022 | Updated Section 25.3 for clarifications on imbalance message publication timings. |
| 2.3 j | February 22, 2024 | Added Halt Status Code '6 - Suspend' to Security Status field (field 6) and to Halt Condition field (field 7) in Security Status Message (Msg Type 34) effective tbd. Updated section 25. to account for new feed start time of 2:00am EST Removed document footer |

RELATED DOCUMENTS

NYSE Symbology Specification
Integrated Feed
BBO Feed
Trades Feed
Imbalances Feed

CONTACT INFORMATION

Connectivity
 Proprietary Market Data
 MarketDataHelp@nyse.com

FURTHER INFORMATION

• For additional information about the product, visit the <u>NYSE Historical Market Data Product Page</u>



TABLE OF CONTENTS

| PREFA | CE | 2 |
|----------------|---|------|
| Docu | ment History | 2 |
| Relat | ed Documents | 4 |
| Conta | act Information | 4 |
| Furth | er Information | 4 |
| 1. | TAQ FOR PILLAR INTEGRATED, BBO, TRADES AND IMBALANCE PRODUCTS | |
| 1.1 | Overview | |
| 1.2 | Access and Data Format | |
| 1.3 | NYSE Products | |
| 1.3. | | |
| 1.3.3 1.3.3 | | |
| 1.3. | | |
| 1.3. | | |
| | ble Data | |
| 1.4 | Contracts and Licensing | |
| 2. | MESSAGE AND FIELD LEVEL DATA | . 10 |
| 2.1 | Distribution of message types among TAQ XDP File Products | |
| 2.2 | Data Types | . 11 |
| 3. | SYMBOL INDEX MAPPING MESSAGE (MSG TYPE 3) | . 12 |
| 4. | SECURITY STATUS MESSAGE (MSG TYPE 34) | . 14 |
| 5. | ADD ORDER MESSAGE – MSG TYPE 100 | . 18 |
| 6. | MODIFY ORDER MESSAGE – MSG TYPE 101 | |
| 7. | DELETE ORDER MESSAGE – MSG TYPE 102 | . 20 |
| 8. | ORDER EXECUTION MESSAGE – MSG TYPE 103 | . 21 |
| 9. | REPLACE ORDER MESSAGE – MSG TYPE 104 | . 23 |
| 10. | IMBALANCE MESSAGE – MSG TYPE 105 | . 24 |
| 11. | ADD ORDER REFRESH MESSAGE – MSG TYPE 106 | . 28 |
| 12. | NON-DISPLAYED TRADE MESSAGE – MSG TYPE 110 | . 29 |
| 13. | CROSS TRADE MESSAGE – MSG TYPE 111 | . 31 |
| 14. | TRADE CANCEL MESSAGE – MSG TYPE 112 AND 221 | . 32 |
| 15. | CROSS CORRECTION MESSAGE – MSG TYPE 113 | . 33 |
| 16. | RETAIL PRICE IMPROVEMENT MESSAGE – MSG TYPE 114 | . 34 |
| 17. | QUOTE MESSAGE – MSG TYPE 140 | . 35 |
| 18. | TRF TRADE MESSAGE – MSG TYPE 215 | . 36 |
| 19. | TRF TRADE CANCEL MESSAGE – MSG TYPE 216 | . 38 |
| 20. | TRF TRADE CORRECTION MESSAGE – MSG TYPE 217 | . 39 |
| 21. | TRF PRIOR DAY TRADE MESSAGE – MSG TYPE 218 | . 41 |



| 22. | TRF PRIOR DAY TRADE CANCEL MESSAGE – MSG TYPE 219 | 43 |
|-------|---|----|
| 23. | TRADE MESSAGE – MSG TYPE 220 | 45 |
| 24. | TRADE CORRECTION MESSAGE – MSG TYPE 222 | 47 |
| 25. | STOCK SUMMARY MESSAGE – MSG TYPE 223 | 49 |
| APPEN | DIX A: INFORMATION ON AUCTIONS | 50 |
| 25.1 | NYSE Auctions | 50 |
| 25.2 | NYSE Arca / NYSE American Auctions | 51 |
| 25.3 | Imbalance Message Publication Times | 53 |
| APPEN | DIX B: FILENAMES AND PATHS | 54 |
| 25.4 | SFTP Directory structure | 54 |
| 25.5 | AWS S3 Directory structure | 55 |
| APPEN | DIX C: ADDITIONAL HISTORICAL FILE AVAILABILITY | 59 |



1. TAQ for Pillar Integrated, BBO, Trades and Imbalance Products

1.1 OVERVIEW

In NYSE Group nomenclature, the term TAQ simply denotes a historical data product.

The TAQ XDP Products are a historical record of all data that was published by the NYSE XDP feeds on a particular day. Each TAQ XDP product corresponds to a single NYSE XDP real time feed.

Feed TAQ data is available on an end-of-day basis in flat file format, enabling you to recreate the market for any given time. On a per-market basis, the following feeds are available in TAQ format:

| PRODUCT | MARKETS |
|---------------------------|--|
| TAQ NYSE Integrated Feed | NYSE, NYSE American, NYSE Arca, NYSE National, NYSE Chicago |
| TAQ NYSE BBO | NYSE, NYSE American, NYSE Arca, NYSE National, NYSE Chicago |
| TAQ NYSE Trades | NYSE, NYSE American, NYSE Arca, NYSE National, NYSE TRF, NYSE Chicago |
| TAQ NYSE Order Imbalances | NYSE, NYSE American, NYSE Arca |

1.2 ACCESS AND DATA FORMAT

All TAQ XDP product files consist of newline-terminated records in ASCII CSV format. The files are compressed using GNU Zip, and can be downloaded using either of the delivery methods below:

- 1. Files can be accessed via AWS Cloud S3 using an AWS Account. Additional instructions may be found here.
- 2. Files can be downloaded via SFTP on the NYSE File Transfer Site, sftp.nyse.com.

For information on file paths and filenames, see Appendix B.

Note that previously, two formats were supported: this CSV format, and a pipe-delimited zipped format. The pipe-delimited format has been eliminated.

Each record in the TAQ file corresponds to a single data event in the real time feed. TAQ file records are in the same order as the data events were in the real time feed.

1.3 NYSE PRODUCTS

1.3.1 NYSE Product Characteristics

| PRODUCT | DATA CHANNEL FILES | STOCK SUMMARY FILE | APPROX TOTAL FILE SIZE |
|---------------------------|--------------------------|--------------------------|------------------------------|
| TAQ NYSE Integrated Feed | 4 | Y | 4 GB |
| TAQ NYSE BBO | 2 | N | 1 GB |
| TAQ NYSE Trades | 2 | Y | 100 MB |
| TAQ NYSE Order Imbalances | 1 | N | 200 MB |



1.3.2 NYSE American Product Characteristics

| PRODUCT | DATA CHANNEL FILES | STOCK SUMMARY FILE | APPROX FILE SIZE |
|------------------------------|--------------------------|--------------------------|---------------------|
| TAQ NYSE American Integrated | 8 | Υ | 50 MB |
| TAQ NYSE American BBO | 2 | N | 20 MB |
| TAQ NYSE American Trades | 1 | Υ | 2 MB |
| TAQ NYSE American Imbalances | 1 | N | 200 KB |

1.3.3 NYSE Arca Product Characteristics

| PRODUCT | DATA CHANNEL FILES | STOCK SUMMARY FILE | APPROX FILE SIZE |
|-------------------------------|--------------------------|--------------------------|---------------------|
| TAQ NYSE Arca Integrated | 14 | Y | 4 GB |
| TAQ NYSE Arca Trades | 1 | Υ | 100 MB |
| TAQ NYSE Arca BBO | 2 | N | 1 GB |
| TAQ NYSE Arca Order Imbalance | 1 | N | 200 MB |

1.3.4 NYSE National Product Characteristics

| PRODUCT | DATA CHANNEL FILES | STOCK SUMMARY FILE | APPROX FILE SIZE |
|------------------------------|--------------------------|--------------------------|---------------------|
| TAQ NYSE National Integrated | 6 | Y | 50 MB |
| TAQ NYSE National BBO | 2 | N | 20 MB |
| TAQ NYSE National Trades | 1 | Y | 2 MB |

1.3.5 NYSE Chicago Product Characteristics

| PRODUCT | DATA CHANNEL FILES | STOCK SUMMARY FILE | APPROX FILE SIZE |
|-----------------------------|--------------------------|--------------------------|---------------------|
| TAQ NYSE Chicago Integrated | 6 | Y | 50 MB |
| TAQ NYSE Chicago BBO | 2 | N | 20 MB |
| TAQ NYSE Chicago Trades | 1 | Υ | 2 MB |

SAMPLE DATA

Sample data is available on the NYSE <u>public ftp server</u>.



1.4 CONTRACTS AND LICENSING

Subscribers must execute the appropriate agreement (Exhibit A and/or NYSE Vendor Agreement) which will be generated upon submission of the online order from the product page for each product on the ICE dashboard. Upon approval, NYSE will issue the user credentials if accessing the data via the SFTP-Managed File Transfer site. If accessing the data via AWS Cloud S3, please allow up to 24 hours for newly purchased data product(s) access permissioning setup to complete.



2. Message and Field Level Data

2.1 DISTRIBUTION OF MESSAGE TYPES AMONG TAQ XDP FILE PRODUCTS

Each TAQ XDP product contains a subset of all the message types described in this document, as shown below.

| MSG TYPE | DESCRIPTION | INTEGRATED | вво | TRADES | IMBALANCES |
|----------|------------------------------------|------------|-----|--------|------------|
| 3 | Symbol Index Mapping Message | Υ | Y | Y | Υ |
| 34 | Security Status Message | Y | Y | Y | Υ |
| 100 | Add Order Message | Υ | | | |
| 101 | Modify Order Message | Y | | | |
| 104 | Replace Order Message | Y | | | |
| 102 | Delete Order Message | Y | | | |
| 103 | Order Execution Message | Y | | | |
| 110 | Non-Displayed Trade Message | Y | | | |
| 112 | Trade Cancel Message | Y | | | |
| 111 | Cross Trade Message | Y | | | |
| 113 | Cross Correction Message | Y | | | |
| 114 | Retail Price Improvement Msg | Y | | | |
| 105 | Imbalance Message | Y | | | Υ |
| 106 | Add Order Refresh Message | Y | | | |
| 140 | Quote Message | | Y | | |
| 220 | Trade Message | | | Υ | |
| 221 | Trade Cancel Message | | | Υ | |
| 222 | Trade Correction Message | | | Υ | |
| 223 | Stock Summary Message | Υ | | Y | |
| 215 | TRF Trade Message | | | Y | |
| 216 | TRF Trade Cancel Message | | | Y | |
| 217 | TRF Trade Correction Message | | | Υ | |
| 218 | TRF Prior Day Trade Message | | | Υ | |
| 219 | TRF Prior Day Trade Cancel Message | | | Y | |



2.2 DATA TYPES

- 1. Numeric fields consist of numeric ASCII characters only (0-9).
- 2. Alpha fields consist of alphabetic ASCII characters only (a-z and A-Z).
- 3. Prices are in decimal format. Examples; "25.222", "0.125", "100.6", "2.30", "4.444' except for the UpperCollar and LowerCollar fields (Imbalance Message Msg Type 105)
- 4. A sequence number is an increasing number that uniquely identifies each message per channel. It starts the day at 1 and increments by 1 for each new message per channel.
- 5. Timestamps are in hours, minutes, seconds, and nanoseconds, eg: "12:32:44.123456789".
- 6. For all default values of 0 and spaces in the real time feeds, the value in CSV is blank, eg: ",,", except as explicitly noted.
- 7. All symbols are expressed in NYSE Symbology.



3. Symbol Index Mapping Message (Msg Type 3)

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|---------|---|
| Msg Type | 1 | Numeric | The type of this message: |
| | | | 3 – Symbol Index Mapping Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| Symbol | 3 | ASCII | See NYSE Symbology Specification |
| Market ID | 4 | Numeric | ID of the Originating Market: 1 - NYSE 3 - NYSE Arca Equities 4 - NYSE Arca Options 5 - NYSE Bonds 8 - NYSE Amex Options 9 - NYSE American Equities 10 - NYSE National Equities 11 - NYSE Chicago Equities |
| System ID | 5 | Numeric | ID of the originating matching engine server |
| Exchange Code | 6 | Alpha | • 'N' - NYSE • 'P' - NYSE Arca • 'Q' - NASDAQ • 'A' - NYSE American • 'Z' - CBOE |
| Security Type | 7 | Alpha | Types of security for Pillar markets. A - American Depositary Receipts C - Common Stock D - Debentures E - Exchange Traded Funds F - Foreign H - American Depositary Shares I - Units L - Index Linked Notes M - Other / Blank O - Ordinary Shares P - Preferred Stock R - Rights S - Shares of Beneficial Interest T - Test U - Closed End Fund X - Index Securities W - Warrants |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|------------------|----------------|---------|---|
| | | | |
| Lot Size | 8 | Numeric | Round lot size in shares |
| PrevClosePrice | 9 | Numeric | The previous day's closing price for this security |
| PrevCloseVolume | 10 | Numeric | The previous day's closing volume for the security |
| Price Resolution | 11 | Numeric | 0 - All Penny 1 - Penny/Nickel 5 - Nickel/Dime |
| Round Lot | 12 | Alpha | Round Lots Accepted: • 'Y' – Yes • 'N' – No |
| MPV | 13 | Numeric | The minimum increment for a trade price, in 100ths of a cent. Typically 1, or \$0.0001, but for some Tick Pilot stocks can be 500, or \$0.05. |
| Unit of Trade | 14 | Numeric | The security Unit of Trade in shares. Valid values are 1, 10, 50 and 100. |



4. Security Status Message (Msg Type 34)

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-----------------|----------------|-----------|--|
| MsgType | 1 | Numeric | The type of this message: |
| | | | 34 – Security Status Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The unique ID of this message in the sequence of messages published for this specific symbol |
| Security Status | 6 | ASCII | The new status that this security is transitioning to. |
| | | | The following are Halt Status Codes: |
| | | | 4 - Trading Halt |
| | | | • 5 - Resume |
| | | | 6 - Suspend |
| | | | The following are Short Sale Restriction Codes (published for all symbols traded on this exchange): |
| | | | A – Short Sale Restriction Activated (Day 1) C – Short Sale Restriction Continued (Day 2) D - Short Sale Restriction Deactivated |
| | | | Market Session values : |
| | | | P – Pre-opening |
| | | | B - Begin accepting orders - Fast accepting |
| | | | E – Early sessionO – Core session |
| | | | • L – Late session |
| | | | • X – Closed |
| | | | If this security is not halted at the time of a session change, the Halt Condition field = ~. If this security is halted on a session change, Halt Condition is non-~, and the security remains halted into the new session. |
| | | | The following values are the Price Indication values: |
| | | | • I – Price Indication |
| | | | G – Pre-Opening Price Indication |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------------------|----------------|---------|--|
| | ONDER | | |
| Halt Condition | 7 | ASCII | Empty when not applicable '~' - Security not delayed/halted 'D' - News released 'I' - Order imbalance 'P' - News pending 'M' - LULD pause 'X' - Equipment changeover 'Z' - No open/No resume A - Additional Information Requested C - Regulatory Concern E - Merger Effective F - ETF Component Prices Not Available N - Corporate Action O - New Security Offering V - Intraday Indicative Value Not Available 6 - Suspend Market Wide Circuit Breaker Halt Level 1 '2' - Market Wide Circuit Breaker Halt Level 2 |
| Price 1 | 8 | Numeric | '3' - Market Wide Circuit Breaker Halt Level 3 If securityStatus = 'A', then this is the SSR Triggering Trade Price If securityStatus = 'G', then this is Pre-Opening Low Price Indication. If securityStatus = 'I', then this is Low Price Indication If securityStatus = 'R', then this is Rule 15 Low Indication Price. If none of the above, then this field is empty |
| Price 2 | 9 | Numeric | If securityStatus = 'I', then this is High Price Indication If securityStatus = 'G', then this is Pre-Opening Price Indication If none of the above, then this field is empty |
| SSR Triggering Exchange ID | 10 | Alpha | Populated when securityStatus = 'A'. Empty when not populated. Valid Values are: |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|--------------------------|----------------|---------|---|
| | | | 'N' - NYSE 'P' - NYSE Arca 'C' - NYSE National 'Q' - NASDAQ 'A' - NYSE American 'B' - NASDAQ OMX BX 'C' - NSX 'D' - FINRA 'I' - ISE 'J' - EDGA 'K' - EDGX 'L' - LTSE 'M' - NYSE Chicago 'S' - CTS 'T' - NASDAQ OMX 'V' - IEX 'W' - CBSX 'X' - NASDAQ OMX PSX 'Y' - CBOE BYX 'Z' - CBOE BZX |
| SSR Triggering Volume | 11 | Numeric | This field is only populated when securityStatus = 'A' otherwise it's empty |
| Time | 12 | Numeric | If securityStatus = 'A', then this is SSR Trigger Time If none of the above, then this field is empty |
| SSRState | 13 | ASCII | Short Sale Restriction values: • '~' – No Short Sale in Effect • 'E' – Short Sale Restriction in Effect If information not available, then this field is empty |
| MarketState | 14 | ASCII | Market State values: 'P' - Pre-opening 'E' - Early session 'O' - Core session 'L' - Late session (Non-NYSE only) 'X' - Closed If information not avaliable, then this field is empty |





5. Add Order Message – Msg Type 100

An Add Order message is published when a new visible order has been received and added to the book. The Order ID is assigned by the matching engine and is unique for this symbol for today only. It is unique across all markets, except that for NYSE Tape A symbols, it is only unique per matching engine instance.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 100 –Add Order Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 6 | Numeric | The unique ID assigned by the matching engine to this order |
| Price | 7 | Numeric | The order price |
| Volume | 8 | Numeric | The order quantity in shares |
| Side | 9 | Alpha | The side of the order (Buy/Sell). Valid values: • 'B' – Buy • 'S' – Sell |
| FirmID | 10 | Alpha | The market participant's firm ID, or space-filled if firm ID was not specified |
| Reserved | 11 | Numeric | Defaulted to 0. Future use only. |



6. Modify Order Message – Msg Type 101

A Modify Order message is sent when the price or volume of an order is changed due to an event other than a cancel-replace, or full or partial execution. The content of the price and volume fields represent the new values after modification.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 101 – Modify Order Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 6 | Numeric | The unique ID assigned by the matching engine to the existing order to be modified |
| Price | 7 | Numeric | The new order price |
| Volume | 8 | Numeric | The new order quantity in shares |
| PositionChange | 9 | Numeric | Currently defaulted to 0. • 0 – Kept position in book • 1 –Lost position in book |
| Side | 10 | ASCII | The side of the order. Valid values: • 'B' - Buy • 'S' - Sell |
| Reserved 2 | 11 | Numeric | Defaulted to 0. Future use only. |



7. Delete Order Message – Msg Type 102

A Delete Order message is published when an order is taken off of the book for any reason except for full execution, in which case an Order Execution message is sent.

Immediately before a trading session changes (eg: Early session to Core session), all orders that were submitted for the current or current+previous sessions are explicitly deleted with a Delete Order message.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 102 – Delete Order Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 6 | Numeric | The unique ID assigned by the matching engine to the order to be deleted |
| Reserved | 7 | Numeric | Defaulted to 0. Future use only. |



8. Order Execution Message – Msg Type 103

An Order Execution message is sent when an order is partially or fully executed. The Volume field indicates the executed quantity. If the Price field is different from the price of the order, any remaining shares keep their original price. If the Volume field equals the number of shares previously remaining in the order, then the order has been fully executed and should be removed from the book. If the order has been partially executed, further Order Execution messages for this Order ID may be published.

| FIELD NAME | FIELD ORDE R | FORMAT | DESCRIPTION |
|----------------|--------------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: |
| | | | 103 – Order Execution Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 6 | Numeric | The unique ID assigned by the matching engine to the order that was partially or fully executed |
| TradeID | 7 | Numeric | Unique ID assigned by the matching engine to this execution. Used by any subsequent Trade Cancel message to identify this execution. Allows correlation of Executions to Trades. |
| Price | 8 | Numeric | The execution price |
| Volume | 9 | Numeric | The executed quantity in shares |
| PrintableFlag | 10 | Numeric | 0 = Not Printed to the SIP 1 = Printed to the SIP |
| Reserved 1 | 11 | Numeric | Defaulted to 0. Future use only. |



| FIELD NAME | FIELD ORDE R | FORMAT | DESCRIPTION |
|-------------------|--------------------|--------|---|
| Trade Condition 1 | 12 | ASCII | Settlement related conditions: • '@' – Regular Sale • 'C' – Cash • 'N'– Next Day Trade |
| Trade Condition 2 | 13 | ASCII | Trade Through Exemptions reasons: • '0x20' – N/A • 'F' – Intermarket Sweep Order • '0' – Market Center Opening Trade • '5' – Market Center Reopening Trade • '6' – Market Center Closing Trade • '7" - Qualified Contingent Trade |
| Trade Condition 3 | 14 | ASCII | Extended hours/sequencing related conditions: '0x20' - N/A 'T' - Extended Hours Trade 'U' - Extended Hours Sold (Out of Sequence) 'Z' - Sold |
| Trade Condition 4 | 15 | ASCII | SRO Required Details: • '0x20' – N/A • '1' – Odd Lot Trade • 'V' - Contingent Trade |



9. Replace Order Message – Msg Type 104

A Replace Order message is published when a cancel/replace order is received and executed. The sitting order is replaced with a new one containing the same symbol, side and attribution, a new Order ID, and the price and size specified. The sitting order must be removed from the book and replaced with the new order.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: |
| | | | 104 – Replace Order Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 6 | Numeric | The unique ID assigned by the matching engine to the existing order to be replaced |
| NewOrderID | 7 | Numeric | The new Order ID of the replacement order |
| Price | 8 | Numeric | The new order price |
| Volume | 9 | Numeric | The new order quantity in shares |
| Side | 10 | ASCII | Side of the order. Valid values: |
| | | | • 'B' - Buy |
| | | | • 'S' - Sell |
| Reserved 2 | 11 | Numeric | Defaulted to 0. Future use only. |



10. Imbalance Message – Msg Type 105

Imbalance messages are sent periodically to update price and volume information during auctions. If there is no change to the calculated fields, no message will be generated. See *Appendix A: Information on Auctions* for details on the auction process in the NYSE, Arca and American markets.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-------------------|----------------|----------------------------|--|
| Msg Type | 1 | Numeric | The type of message: 105 – Imbalance Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. nnnnnnnn n | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 5 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 6 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| ReferencePrice | 7 | Numeric | For Pillar-powered markets, the Reference Price is used to calculate the Indicative Match Price. See Information on Auctions for details. |
| | | | For NYSE Tape A symbols, the Reference Price is the Last Sale if the last sale is at or between the current best quote. Otherwise the Reference Price is the Bid Price if the last sale is lower than Bid price, or the Offer price if the last sale is higher than Offer price. (see Information on Auctions for details) |
| | | | When Auction Type = P, this field will be set to NYSE Last Sale. |
| PairedQty | 8 | Numeric | For non-NYSE markets, the number of shares paired off at the Indicative Match Price. |
| | | | For NYSE, the number of shares paired off at the Reference Price. |
| TotalimbalanceQty | 9 | Numeric | For non-NYSE markets, the total imbalance quantity at the Indicative Match Price. For NYSE, the total imbalance quantity at the Reference Price. |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|---------------------------------|----------------|---------|---|
| MarketImbalanceQt y | 10 | Numeric | The total market order imbalance quantity at the Indicative Match Price. When Auction Type=P (NYSE only), this field will be set to the Extreme Order Imbalance quantity. For NYSE, unused and defaulted to 0. |
| AuctionTime | 11 | Numeric | Projected Auction Time (hhmm) |
| AuctionType | 12 | Alpha | Valid Values: 'O' – Early Opening Auction (non-NYSE only) 'M' – Core Opening Auction 'H' – Reopening Auction (Halt resume) 'R' - Regulatory Imbalance (NYSE primaries only) 'C' – Closing Auction 'P' - Extreme Closing Order Imbalance - (NYSE primaries only) |
| ImbalanceSide | 13 | Alpha | The side of the TotalImbalanceQty • 'B' – Buy side • 'S' – Sell side • '' - space – No imbalance When Auction Type = 'P', this field will be set to Extreme Order Imbalance side |
| ContinuousBook ClearingPrice | 14 | Numeric | For non-NYSE markets, the price at which all interest on the book can trade, including auction and imbalance offset interest, and disregarding auction collars. For NYSE, the price closest to the reference price where the imbalance is 0. For regulatory imbalances, or if a continuous book clearing price is not reached, this field is defaulted to 0. |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-------------------------------|----------------|---------|---|
| AuctionInterestClear ingPrice | 15 | Numeric | For non-NYSE markets, the price at which all eligible auction-only interest would trade, subject to auction collars. For the NYSE closing auction only, the price closest to the reference price where the imbalance of closing-only interest is 0. If a closing-only clearing price is not reached, this field is defaulted to 0. |
| SSRFilingPrice | 16 | Numeric | For non-NYSE markets, not supported and defaulted to 0. For NYSE non-Regulatory imbalances, if a Sell Short Restriction is in effect, the price at which Sell Short interest will be filed. |
| Indicative MatchPrice | 17 | Numeric | For non-NYSE markets, the price at which the highest number of shares would trade, subject to auction collars. It includes the non-displayed quantity of Reserve Orders. See Information on Auctions for details. For NYSE, set to 0. |
| UpperCollar | 18 | Numeric | If the IndicativeMatchPrice is not strictly between the UpperCollar and the LowerCollar, special auction rules apply. See Rule 7.35P for details. For NYSE, set to 0 |
| LowerCollar | 19 | Numeric | If the IndicativeMatchPrice is not strictly between the UpperCollar and the LowerCollar, special auction rules apply. See Rule 7.35P for details. For NYSE, set to 0 |
| AuctionStatus | 20 | Numeric | Indicates whether the auction will run 0 - Will run as always for Open and Close 1 - Will run, interest exists inside the collars or interest is fully paired off 2 - Will not run because there is an imbalance at or through the collars 3 - Will not run, will transition to the Closing auction instead |
| FreezeStatus | 21 | Numeric | 0 - Imbalance freeze not yet in effect 1 - Imbalance freeze is in effect |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|--------------------------|----------------|---------|--|
| NumExtensions | 22 | Numeric | Number of times the halt period has been extended. For NYSE, set to 0 |
| UnPaired Quantity | 23 | Numeric | For NYSE only, during the Closing Auction, the number of unpaired shares priced at or better than the Reference Price. For non-NYSE markets, 0. |
| Unpaired Side | 24 | Alpha | The side of the Unpaired Quantity B – Buy S – Sell Space – not applicable |
| Significant Imbalance | 25 | Alpha | Future use by NYSE only. |



11. Add Order Refresh Message – Msg Type 106

The Add Order Refresh message can be sent in either of two contexts:

- 1) If a client sends a Refresh Request to the Request Controller, an Add Order Refresh message is sent over the Refresh channels as part of the refresh response for every order currently sitting on the book.
- 2) If a primary XDP Publisher fails over to the backup, for every symbol, the backup sends a Symbol Clear message followed by a full refresh, which includes an Add Order Refresh message for every order currently sitting on the book of the symbol.

| FIELD NAME | FIELD | FORMAT | DESCRIPTION |
|----------------|-------|-----------|--|
| | ORDER | | |
| Msg Type | 1 | Numeric | The type of message: |
| | | | 106 – Add Order Refresh Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 5 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 6 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| OrderID | 7 | Numeric | The unique ID assigned by the matching engine to this order |
| Price | 8 | Numeric | The order price |
| Volume | 9 | Numeric | The order quantity in shares |
| Side | 10 | Alpha | The side of the order (Buy/sell). Valid values: • 'B' – Buy • 'S' – Sell |
| FirmID | 11 | ASCII | The participant's firm ID, or spaces if firm ID was not specified |
| Reserved | 12 | Numeric | Future use. Defaulted to 0. |



12. Non-Displayed Trade Message – Msg Type 110

A Non Displayed Trade message is sent as a result of a match between two non-displayed orders.

Customers who are only interested in building a book of displayed orders may safely ignore Non-Displayed Trade messages. Customers who are creating statistics or displays requiring the full record of trades in this market will need to process Non-Displayed Trade messages.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-------------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: |
| | | | 110 – Non-Displayed Trade Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| TradeID | 6 | Numeric | Unique ID assigned by the matching engine to this trade event. Used by any subsequent Trade Cancel message to identify this execution. |
| Price | 7 | Numeric | The execution price |
| Volume | 8 | Numeric | Volume of the trade in shares |
| PrintableFlag | 9 | Numeric | • 0 = Not Printed to the SIP |
| | | | • 1 = Printed to the SIP |
| Trade Condition 1 | 10 | Ascii | Settlement related conditions: |
| | | | • '@' – Regular Sale |
| | | | • 'C' – Cash |
| | | | 'N'- Next Day Trade |
| Trade Condition 2 | 11 | Ascii | Trade Through Exemptions reasons: |
| | | | • '0x20' – N/A |
| | | | 'F' – Intermarket Sweep Order 'O' – Market Center Opening Trade |
| | | | '5' – Market Center Reopening Trade |
| | | | '6' – Market Center Closing Trade 17" Overlifted Continuent Trade |
| | | | • '7" - Qualified Contingent Trade |
| | | | |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-------------------|----------------|--------|---|
| Trade Condition 3 | 12 | Ascii | • '0x20' - N/A • 'T' - Extended Hours Trade • 'U' - Extended Hours Sold (Out of Sequence) • 'Z' - Sold |
| Trade Condition 4 | 13 | Ascii | SRO Required Details: '0x20' - N/A 'I' - Odd Lot Trade 'V' - Contingent Trade |



13. Cross Trade Message – Msg Type 111

A Cross Trade message is published on completion of a crossing auction, and shows the bulk volume that traded in the auction. The Reason Code field indicates the auction type. Additionally, a non-printable Order Execution or Trade message will be published for each order that traded.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 111 – Cross Trade Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| CrossID | 6 | Numeric | Unique identifier for this Cross Trade. Used in Cross Correction message to identify the Cross Trade to correct |
| Price | 7 | Numeric | The execution price |
| Volume | 8 | Numeric | Volume executed in shares |
| CrossType | 9 | ASCII | Reason for the crossing auction. Valid values: 'E' – Market Center Early Opening Auction 'O' – Market Center Opening Auction '5' – Market Center Reopening Auction '6' – Market Center Closing Auction |



14. Trade Cancel Message – Msg Type 112 and 221

In the event that an earlier trade has been reported in error, a Trade Cancel message is sent. This occurs whether the initial report was an Order Execution or a Non-Displayed Trade message.

Note that since Trade Cancel messages only affect trades that occurred in the past, customers who are only interested in building a book may safely ignore them.

Customers who are building a complete record of today's trades should remove the cancelled trade from their records and subtract its volume from any statistics.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 112 - Trade Cancel for TAQ Integrated 221 - Trade Cancel for TAQ Trades |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| TradeID | 6 | Numeric | The TradeID of the original Trade or Execution message to be cancelled |



15. Cross Correction Message – Msg Type 113

In the event that an earlier Cross Trade has been reported in error, a Cross Correction message is sent.

Note that since Cross Correction messages only affect cross auctions that occurred in the past, customers who are only interested in building a book may safely ignore them.

Customers who are building a complete record of today's volume should remove the previously reported volume from their statistics and add the volume of the Cross Correction to them.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 113 – Cross Correction Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| CrossID | 6 | Numeric | The CrossID of the original Cross Trade message to be corrected |
| Volume | 7 | Numeric | The corrected volume of Cross Trade message |



16. Retail Price Improvement Message – Msg Type 114

Published when RPI interest (hidden retail price improvement interest) is added or removed between the best bid and best offer price. When all RPI interest for this security is removed from the book, An RPI message with RPIIndicator = '' (space character) is published.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|---|
| Msg Type | 1 | Numeric | The type of message: 114 – Retail Price Improvement Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Binary | The sequence number of this message in the set of all messages for this symbol |
| RPIIndicator | 6 | ASCII | The side(s) where Retail Price Improvement orders (RPI orders) exist. Valid values correspond to CQS values: • '' – Space means no retail interest (default) • A – Retail interest on the bid side • B – Retail interest on the offer side • C – Retail interest on the bid and offer sides |



17. Quote Message – Msg Type 140

A quote message is sent when any event results in a new top of book value on either side of the market.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-----------------|----------------|-----------|--|
| Msg Type | 1 | Binary | The type of message: |
| | | | 140 – Quote Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 5 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 6 | Numeric | The symbol sequence number |
| Ask Price | 7 | Numeric | The Ask price. |
| Ask Volume | 8 | Numeric | The aggregate round lot size at the ask price, in shares. |
| Bid Price | 9 | Numeric | The Bid price |
| Bid Volume | 10 | Numeric | The aggregate round lot size at the bid price, in shares. |
| Quote Condition | 11 | ASCII | All markets • 'R' - Regular Quote NYSE Tape A symbols only • 'O' - Opening Quote (1st quote of the day) At the scheduled closing time, NYSE publishes an Rquote with prices and volumes set to 0. |
| RPI Indicator | 12 | ASCII | The side(s) where Retail Price Indication (RPI orders) exist. Valid values are: • '' – Space means no Retail Interest (Default) • 'A' – Retail Interest on Bid Quote • 'B' – Retail Interest on Offer Quote • 'C' – Retail Interest on both the Bid and Offer Quote |



18. TRF Trade Message – Msg Type 215

XDP TAQ Trades for TRF will log the TRF Trade Message (Msg Type 215). The Structure will be the same as the existing NYSE Trades - Msg Type 220.

| FIELD NAME | FIELD | FORMAT | DESCRIPTION |
|-----------------|-------|-----------|--|
| | ORDER | | |
| Message Type | 1 | Numeric | 215 - Representing TRF Trade message |
| Sequence Number | 2 | Numeric | Sequence number value received in the msg seq num field of the msg Header. This represents the msg seq # assigned by XDP for the TRF Trade message |
| | | | Thi Trade message |
| Source Time | 3 | HH:MM:SS. | Source Time is produced from the following input fields on the TRF Trade message in nano-sec granularity: - Source Time - Source Time NS This is the trade timestamp from the matching engine. |
| Symbol | 4 | String | Symbol in NYSE Symbology. Symbol Index received on TRF Trade message is looked up against the Symbol Index Mapping message (msg type 3) to derive symbol. |
| Symbol Seq Num | 5 | Numeric | The symbol sequence number. |
| TradeID | 6 | Numeric | TradeID from TRF Trade message. TradeID is unique per symbol. |
| Price | 7 | Decimal | Price of the TRF Trade. |
| Volume | 8 | Numeric | The volume of the trade in shares. |
| Trade Cond1 | 9 | String | Settlement related conditions. Valid values: @ - Regular Sale (Arca, American, National, Chicago and NYSE) 'C' - Cash (TRF or Chicago only) 'N' - Next Day Trade (TRF or Chicago only) '' - (space) Regular Sale (TRF only) 'R' - Seller (TRF only) |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-------------|----------------|--------|---|
| | | | |
| Trade Cond2 | 10 | String | The reason for Trade Through Exemptions. Valid values: '' - N/A (0x20) 'F' - Intermarket Sweep Order 'O' - Market Center Opening Trade '4' - Derivatively priced (TRF only) '5' - Reopening Trade '6' - Market Center Closing Trade '7' - Qualified Contingent Trade (TRF or Chicago only) '9' - Corrected Consolidated Close |
| Trade Cond3 | 11 | String | Extended hours/sequencing related conditions. Valid values: • '' – (space, or 0x20) N/A • 'T' – Extended Hours Trade • 'U' – Extended Hours Sold (Out of Sequence) • 'Z' – Sold |
| Trade Cond4 | 12 | String | SRO Required Detail. Valid values: ''- (space, or 0x20) N/A 'I' - Odd Lot Trade 'M' - Official Closing Price 'Q' - Official Open Price 'V' - Contingent Trade 'P' - Prior Reference Price (TRF or Chicago only) 'W' - Weighted Average Price (TRF only) |



19. TRF Trade Cancel Message – Msg Type 216

XDP TAQ Trades for TRF will log the TRF Trade Cancel Message (Msg Type 216). The Structure will be the same as the existing NYSE Trades Cancel Message - Msg Type 221.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-----------------|----------------|-----------|---|
| Message Type | 1 | Numeric | 216 - Representing TRF Trade Cancel message |
| Sequence Number | 2 | Numeric | Sequence number value received in the msg seq num field of the msg Header. This represents the msg seq # assigned by XDP for the TRF Trade cancel message |
| Source Time | 3 | HH:MM:SS. | Source Time is produced from the following input fields on the TRF Trade cancel message in nano-sec granularity: - Source Time - Source Time NS This is the trade cancel timestamp from the matching engine. |
| Symbol | 4 | String | See NYSE Symbology Specification |
| Symbol Seq Num | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| TradeID | 6 | Numeric | The TradeID of the original TRF Trade Execution message to be cancelled |



20. TRF Trade Correction Message – Msg Type 217

XDP TAQ Trades for TRF will log the TRF Trade Correction Message (Msg Type 217). The Structure will be the same as the existing NYSE Trades Correction Message - Msg Type 222.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|------------------|----------------|-----------|--|
| Message Type | 1 | Numeric | 217 - Representing TRF Trade Correction message |
| Sequence Number | 2 | Numeric | Sequence number value received in the msg seq num field of the msg Header. This represents the msg seq # assigned by XDP for the TRF Trade Correction message |
| Source Time | 3 | HH:MM:SS. | Source Time is produced from the following input fields on the TRF Trade Correction message in nano-sec granularity: - Source Time - Source Time NS This is the trade correction timestamp from the matching engine. |
| Symbol | 4 | String | See NYSE Symbology Specification |
| Symbol Seq Num | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| Original TradeID | 6 | Numeric | The original TradeID of the Trade message being corrected. |
| TradeID | 7 | Numeric | The TradeID of the corrected Trade message. |
| Price | 8 | Decimal | The corrected price of the Trade. Use the Price scale from the Symbol Index Mapping message. |
| Volume | 9 | Numeric | The corrected volume of the trade in shares. |
| Trade Cond-1 | 10 | String | @ – Regular Sale (Arca, American, National, Chicago and NYSE) 'C' – Cash (TRF or Chicago only) 'N' – Next Day Trade (TRF or Chicago only) '' – (space) Regular Sale (TRF only) 'R' – Seller (TRF only) |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|--------------|----------------|--------|---|
| Trade Cond-2 | 11 | String | The reason for Trade Through Exemptions. Valid values: '' - N/A (0x20) 'F' - Intermarket Sweep Order 'O' - Market Center Opening Trade '4' - Derivatively priced (TRF only) '5' - Reopening Trade '6' - Market Center Closing Trade '7' - Qualified Contingent Trade (TRF or Chicago only) '9' - Corrected Consolidated Close |
| Trade Cond-3 | 12 | String | Extended hours/sequencing related conditions. Valid values: • '' - (space, or 0x20) N/A • 'T' - Extended Hours Trade • 'U' - Extended Hours Sold (Out of Sequence) • 'Z' - Sold |
| Trade Cond-4 | 13 | String | SRO Required Detail. Valid values: ''- (space, or 0x20) N/A 'I' - Odd Lot Trade 'M' - Official Closing Price 'Q' - Official Open Price 'V' - Contingent Trade 'P' - Prior Reference Price (TRF or Chicago only) 'W' - Weighted Average Price (TRF only) |



21. TRF Prior Day Trade Message – Msg Type 218

XDP TAQ Trades for TRF will log the TRF Prior Day Trade Message (Msg Type 218).

| FIELD NAME | FIELD | FORMAT | DESCRIPTION |
|-----------------|------------|-----------|--|
| Message Type | ORDER 1 | Numeric | 218 - Representing TRF Prior Day Trade message |
| Sequence Number | 2 | 2 Numeric | Sequence number value received in the msg seq num field of the msg Header. |
| | | | This represents the msg seq # assigned by XDP for the TRF Prior Day Trade message |
| Source Time | 3 | HH:MM:SS. | Source Time is produced from the following input fields on the TRF Prior Day Trade message in nano-sec granularity: Source Time and Source Time NS This is the timestamp from the matching engine when the Prior Day Trade message was generated. |
| Prior Day Time | 4 | String | Prior Day time is produced from the following input fields on the TRF Prior Day Trade message in nano-sec granularity: |
| | | | - Prior Day Time |
| | | | - Prior Day Time NS |
| | | | This is the participant input time when the trade was originally generated prior day. |
| Symbol | 5 | Numeric | Symbol in NYSE Symbology. |
| | | | Symbol Index received on TRF Prior Day Trade message (msg type 218) is looked up against the Symbol Index Mapping message (msg type 3) to derive symbol. |
| Symbol Seq Num | 6 | Numeric | Symbol Sequence Number on TRF Prior Day Trade message (msg type 218). |
| TradeID | 7 | Decimal | TradeID of the TRF Prior Day Trade message. |
| | | | TradeID is unique per symbol. |
| Price | 8 | Numeric | Price of the Trade from the TRF Prior Day Trade message. |
| | | | Price scale code from the Symbol Index Mapping message is applied to the price on msg type 218 and actual price published on the TAQ Trades messages. |
| | | | (Price scale code is not provided as-is on the Symbol Index Mapping message) |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|--------------|----------------|--------|---|
| Volume | 9 | String | Trade Volume (in shares) from the TRF Prior Day Trade message. |
| Trade Cond-1 | 10 | String | Ø – Regular Sale (Arca, American, National, Chicago and NYSE) 'C' – Cash (TRF or Chicago only) 'N' – Next Day Trade (TRF or Chicago only) '' – (space) Regular Sale (TRF only) 'R' – Seller (TRF only) |
| Trade Cond-2 | 11 | String | The reason for Trade Through Exemptions. Valid values: '' - N/A (0x20) 'F' - Intermarket Sweep Order 'O' - Market Center Opening Trade '4' - Derivatively priced (TRF only) '5' - Reopening Trade '6' - Market Center Closing Trade '7' - Qualified Contingent Trade (TRF or Chicago only) '9' - Corrected Consolidated Close |
| Trade Cond-3 | 12 | String | Extended hours/sequencing related conditions. Valid values: • '' - (space, or 0x20) N/A • 'T' - Extended Hours Trade • 'U' - Extended Hours Sold (Out of Sequence) • 'Z' - Sold |
| Trade Cond-4 | 13 | String | SRO Required Detail. Valid values: ''- (space, or 0x20) N/A 'I' - Odd Lot Trade 'M' - Official Closing Price 'Q' - Official Open Price 'V' - Contingent Trade 'P' - Prior Reference Price (TRF or Chicago only) 'W' - Weighted Average Price (TRF only) |



22. TRF Prior Day Trade Cancel Message – Msg Type 219

XDP TAQ Trades for TRF will log the TRF Prior Day Trade Cancel Message (Msg Type 219).

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-----------------|----------------|------------------------|--|
| Message Type | 1 | Numeric | 219 - Representing TRF Prior Day Trade Cancel message |
| Sequence Number | 2 | Numeric | Sequence number value received in the msg seq num field of the msg Header. This represents the msg seq # assigned by XDP for the TRF Trade cancel message |
| Source Time | 3 | HH:MM:SS. nnnnnnnnn | Source Time is produced from the following input fields on the TRF Trade cancel message in nano-sec granularity: - Source Time - Source Time NS This is the trade cancel timestamp from the matching engine. |
| Prior Day Time | 4 | HH:MM:SS. | Prior Day time is produced from the following input fields on the TRF Prior Day Trade Cancel message in nano-sec granularity: - Prior Day Time - Prior Day Time NS This is the participant input time when the trade cancel was originally generated prior day. |
| Symbol | 5 | String | Symbol in NYSE Symbology. Symbol Index received on TRF Prior Day Trade cancel message is looked up against the Symbol Index Mapping message (msg type 3) to derive symbol. |
| Symbol Seq Num | 6 | Numeric | Symbol Sequence Number on TRF Prior Day trade cancel message. |
| TradeID | 7 | Numeric | TradeID from TRF Prior day Trade cancel message. |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|------------|----------------|---------|---|
| Price | 8 | Decimal | Price of the Original Trade from the TRF Prior Day Trade Cancel message. Price scale code from the Symbol Index Mapping message is applied to the price and actual price is published. (Price scale code is not provided as-is on the Symbol Index Mapping message) |
| Volume | 9 | Numeric | The volume of the original trade in Shares. |



23. Trade Message – Msg Type 220

A Trade message is sent when there is an execution on the order book. For more detail, see the Overview.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 220 – Trade Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 5 | Numeric | The sequence number of this message in the set of all messages for this symbol |
| TradeID | 6 | Numeric | Unique identifier for this trade |
| Price | 7 | Numeric | The price of the Trade |
| Volume | 8 | Numeric | The volume of the trade in shares. |
| TradeCond1 | 9 | ASCII | © – Regular Sale (Arca, American, National, Chicago and NYSE) 'C' – Cash (TRF or Chicago only) 'N' – Next Day Trade (TRF or Chicago only) '' – (space) Regular Sale (TRF only) 'R' – Seller (TRF only) |
| TradeCond2 | 10 | ASCII | The reason for Trade Through Exemptions. Valid values: • '' – N/A (0x20) • 'F' – Intermarket Sweep Order • 'O' – Market Center Opening Trade • '4' – Derivatively priced (TRF only) • '5' - Reopening Trade • '6' – Market Center Closing Trade • '7' – Qualified Contingent Trade (TRF or Chicago only) • '9' - Corrected Consolidated Close |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|------------|----------------|--------|--|
| TradeCond3 | 11 | ASCII | Extended hours/sequencing related conditions. Valid values: • '' – (space, or 0x20) N/A • 'T' – Extended Hours Trade • 'U' – Extended Hours Sold (Out of Sequence) • 'Z' – Sold |
| TradeCond4 | 12 | ASCII | SRO Required Detail. Valid values: ''- (space, or 0x20) N/A 'I' - Odd Lot Trade 'M' - Official Closing Price 'Q' - Official Open Price 'V' - Contingent Trade 'P' - Prior Reference Price (TRF or Chicago only) 'W' - Weighted Average Price (TRF only) |



24. Trade Correction Message – Msg Type 222

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|-----------------|----------------|-----------|---|
| Msg Type | 1 | Numeric | The type of message: |
| | | | 222 - Trade Correction Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 5 | ASCII | See NYSE Symbology Specification |
| SymbolSeqNum | 6 | Numeric | The symbol sequence number |
| OriginalTradelD | 7 | Numeric | The original TradeID of the Trade message being corrected |
| TradeID | 8 | Numeric | The TradeID of the corrected Trade message |
| Price | 9 | Numeric | The corrected price of the Trade |
| Volume | 10 | Numeric | The corrected volume of the trade in shares |
| TradeCond1 | 9 | ASCII | Settlement related conditions. Valid values: @ - Regular Sale (Arca, American, National, Chicago and NYSE) 'C' - Cash (TRF or Chicago only) 'N' - Next Day Trade (TRF or Chicago only) '' - (space) Regular Sale (TRF only) 'R' - Seller (TRF only) |
| TradeCond2 | 10 | ASCII | The reason for Trade Through Exemptions. Valid values: '' – N/A (0x20) 'F' – Intermarket Sweep Order 'O' – Market Center Opening Trade '4' – Derivatively priced (TRF only) '5' - Reopening Trade '6' – Market Center Closing Trade '7' – Qualified Contingent Trade (TRF or Chicago only) '9' - Corrected Consolidated Close |



| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|------------|----------------|--------|--|
| TradeCond3 | 11 | ASCII | Extended hours/sequencing related conditions. Valid values: • '' – (space, or 0x20) N/A • 'T' – Extended Hours Trade • 'U' – Extended Hours Sold (Out of Sequence) • 'Z' – Sold |
| TradeCond4 | 12 | ASCII | SRO Required Detail. Valid values: ''- (space, or 0x20) N/A 'I' - Odd Lot Trade 'M' - Official Closing Price 'Q' - Official Open Price 'V' - Contingent Trade 'P' - Prior Reference Price (TRF or Chicago only) 'W' - Weighted Average Price (TRF only) |



25. Stock Summary Message – Msg Type 223

On the Stock Summary channel (a separate channel from the main trades feed), a Stock Summary message per symbol is sent every 60 seconds. The message is sent regardless of whether there has been a change to the symbol in the last 60 seconds or not. In the event there is no volume on the stock, the trade summary message will not be disseminated.

| FIELD NAME | FIELD ORDER | FORMAT | DESCRIPTION |
|----------------|----------------|-----------|--|
| Msg Type | 1 | Numeric | The type of message: 223 – Stock Summary Message |
| SequenceNumber | 2 | Numeric | A unique, sequential message ID that 'tags' each message and allows recipients to identify the message |
| SourceTime | 3 | HH:MM:SS. | Timestamp of the matching engine event that resulted in this message, with nanosecond accuracy |
| Symbol | 4 | ASCII | See NYSE Symbology Specification |
| HighPrice | 5 | Numeric | The exchange high price of this stock for the day |
| LowPrice | 6 | Numeric | The exchange Low price of this stock for the day |
| Open | 7 | Numeric | The exchange Opening price of this stock for the day |
| Close | 8 | Numeric | The exchange Closing price of this stock for the day |
| TotalVolume | 9 | Numeric | The exchange cumulative volume for the stock throughout the day |



APPENDIX A: Information on Auctions

25.1 NYSE AUCTIONS

The NYSE market conducts auctions for NYSE-listed (Tape A) symbols only. The NYSE market does not publish imbalances for IPO or Direct Listing symbols.

As a part of the auction process, Imbalance messages are published every second if there is any change from the previous second.

| AUCTION TYPE | DESCRIPTION | | | |
|------------------------|--|--|--|--|
| Opening | Interest Included | | | |
| Auction (M) and | All electronic interest eligible to trade in the opening auction DMM interest as needed to offset the imbalance | | | |
| Re-Opening | Order Cancellation | | | |
| Auction (H) | Orders can be cancelled at any time up to the conclusion of the auction | | | |
| | Reference Price Calculation | | | |
| | First, a provisional ref price is calculated, then the Reference Price is calculated from that. | | | |
| | The provisional ref price is: | | | |
| | ■ The consolidated last sale price if there is one | | | |
| | The previous close price If there is no consolidated last sale | | | |
| | The Reference Price is: | | | |
| | The provisional ref price if no Mandatory Indication has been published The provisional ref price if it is within the indication range The indication low price if it is higher than the provisional ref price The indication high price it is lower than the provisional ref price | | | |
| Closing Auction | Interest Included | | | |
| (C) | For Paired Quantity, Unpaired Quantity, and Total Imbalance Quantity: MOC and LOC orders Imbalance offset orders Closing D orders | | | |
| | ■ For Continuous Book Clearing Price: | | | |
| | All electronic interest eligible to trade in the closing auction DMM interest as needed to offset the imbalance | | | |
| | ■ For Auction Interest Clearing Price: | | | |
| | MOC and LOC ordersImbalance offset orders | | | |



| AUCTION TYPE | DESCRIPTION | | |
|---------------------------|---|--|--|
| | Order Cancellation | | |
| | Orders can be cancelled any time during the auction period, except for MOC and LOC orders and Imbalance offset orders, which can be cancelled only up to 2 minutes before the scheduled auction closing time. | | |
| | eference Price Calculation | | |
| | The Reference Price is: | | |
| | The NYSE last sale if it is at or within the NYSE best quote The NYSE best bid if the NYSE best bid is higher than the NYSE last sale The NYSE best offer if the NYSE best offer is lower than the NYSE last sale | | |
| Regulatory | Interest Included | | |
| Closing Auction (R) | MOC and LOC orders | | |
| (11) | Reference Price Calculation | | |
| | ■ The Reference Price is the NYSE last sale. | | |
| Extreme | Interest Included | | |
| Imbalance Closing Auction | All electronic interest eligible to trade in the closing auction | | |
| (P) | Reference Price Calculation | | |
| | ■ The Reference Price is the NYSE last sale. | | |

25.2 NYSE ARCA / NYSE AMERICAN AUCTIONS

Three single-price auctions are conducted during the day: the Early Opening Auction, the Core Opening Auction and the Closing Auction. As a part of the auction process, the reference price, indicative match price, matched volume, total imbalance, and market imbalance are disseminated every second if there is any change from the previous second.

This appendix covers normal cases. For full detail on exception cases, see Rule 7.35P.

Indicative Match Price Details

- The Indicative Match Price is the price that maximizes executable volume of auction-eligible shares, subject to Auction Collars.
- It includes the non-displayed quantity of Reserve Orders.
- If two or more prices maximize executable volume equally, in an effort to maintain continuity, the Indicative Match Price is whichever price is closest to the Reference Price.
- The final auction execution price is the Indicative Match Price at auction time.



Imbalance Calculation

| AUCTION TYPE | DESCRIPTION | | |
|---------------|---|--|--|
| Early Opening | Interest Included | | |
| Auction | Limit Orders designated for the Early Trading Session. During the last minute before the Early Opening Auction time, the non-displayed quantity of Reserve Orders designated for the Early Open Auction is included in the Matched Volume and Total Imbalance Volume. Order Cancellation | | |
| | Order Cancellation | | |
| | Orders can be cancelled at any time up to the conclusion of the auction. | | |
| | Reference Price | | |
| | The Reference Price is normally the listing market's previous Official Closing Price. See Rule 7.35P for full detail. | | |
| | Unexecuted session 1 eligible orders become eligible for the Early Session immediately upon conclusion of the Early Opening Auction. | | |

Core Opening and Re-Opening Auctions

Interest Included

- 1. Limit, Market, MOO, LOO and Primary Peg orders
- 2. During the last 5 seconds before the Core Opening Auction time, the non-displayed quantity of Reserve Orders is included in the Matched Volume and Total Imbalance Volume.

Order Cancellation

Orders can be cancelled any time during the auction, except for MOO and LOO orders which can be cancelled only up to 1 minute before the conclusion of the auction.

Reference Price

 The Reference Price is normally the midpoint of the NBBO. See Rule 7.35P for full detail.

Closing Auction

Interest Included

- 1. Limit, Market, MOC, LOC and Primary Peg orders
- During the last minute before the Closing Auction time, the non-displayed quantity of Reserve Orders is included in the Matched Volume and Total Imbalance Volume.

Reference Price

The Reference Price is normally the Consolidated Tape last sale.

If the price closest to the Reference Price would trade through the exchange book, the indicative match price will be the best price available where no trade through occurs. See Rule 7.35P for full detail.



25.3 IMBALANCE MESSAGE PUBLICATION TIMES

For all markets, the initial publication of Symbol Index Mapping messages occurs shortly after feed start time at 2:00am ET.

Please refer to the online calendar for <u>Market</u> times and early close days.

NYSE National and NYSE Chicago exchanges do not conduct auctions.

Trading halts and re-opens can occur anytime during any session. Trading halts can last from one session into the next.

Regularly scheduled auctions occur at the following times. (All times are in US Eastern Time).

| DESCRIPTION | MARKET | SECURITIES | NORMAL AUCTION PERIOD |
|-------------------------|------------------|----------------------------------|------------------------------------|
| Early Opening | Arca | All auction eligible securities. | 3:30am - 4:00am ET |
| Auction | American | All primary listed securities. | 6:30am - 7:00am ET |
| Core Opening Auction | Arca American | All primary listed securities. | 8:00am - 9:30am ET |
| | NYSE | All primary listed securities. | 8:00am - until the security opens |
| Closing Auction | Arca | All auction eligible securities. | 3:00pm - 4:00pm ET |
| | American | All primary listed securities. | 3:00pm - 4:00pm ET |
| | NYSE | All primary listed securities. | 3:50pm - until the security closes |



APPENDIX B: Filenames and Paths

25.4 SFTP DIRECTORY STRUCTURE

Using the NYSE Managed File Transfer infrastructure, TAQ files are accessible as follows by navigating to the desired path below:

| PRODUCT | FILE PATH AND NAME |
|-------------------------|---|
| Integrated Feed files + | Markets / Tapes: |
| Stock Summary | EQY_US_EXCH_IBF/ |
| EXCH can be | EQY_US_EXCH_IBF_YYYY/ |
| NYSE | EQY_US_EXCH_IBF_YYYYMM/ |
| AMEX | EQY_US_EXCH_IBF_1_YYYYMMDD.GZ |
| ARCA | EQY US EXCH IBF 14 YYYYMMDD.GZ |
| NATIONAL | EQ1_03_EXC11_IB1_14_1111WWDD.G2 |
| CHICAGO | From Nov. 20, 2017 to Q3 2019 for NYSE Tape A only: |
| | EQY_US_EXCH_IBF/ |
| | EQY_US_EXCH_IBF_YYYY/ |
| | EQY_US_EXCH_IBF_YYYYMM/ |
| | EQY_US_EXCH_IBF_1A_YYYYMMDD.GZ |
| | EQY_US_EXCH_IBF_4A_YYYYMMDD.GZ |
| | EQT_05_EXCT_BT_TX_TTTTMM6B.02 |
| | EQY_US_EXCH_STOCKSUM/ |
| | EQY_US_EXCH_STOCKSUM_YYYY/ |
| | EQY_US_EXCH_STOCKSUM_YYYYMM/ |
| | EQY_US_EXCH_STOCKSUM_YYYYMMDD.GZ |
| | |
| | |
| | |
| BBO | FOUND THE EVEN PROV |
| 2 BBO files | EQY_US_TAQ_EXCH_BBO/ EQY_US_TAQ_EXCH_BBO_YYYY/ |
| EXCH can be | EQY US TAQ EXCH BBO YYYYMM/ |
| NYSE | EQY US TAQ EXCH BBO 1 YYYYMMDD.GZ |
| AMEX | EQY_US_TAQ_EXCH_BBO_2_YYYYMMDD.GZ |
| ARCA | |
| NATIONAL | |
| CHICAGO | |
| | |
| | |
| | |



EQY_US_TAQ_EXCH_TRADES/

EQY US TAQ EXCH TRADES YYYY/ **Trades** 1 Trades file + EQY_US_TAQ_EXCH_TRADES_YYYYMM/

EQY_US_TAQ_EXCH_TRADES_YYYYMMDD.GZ **Stock Summary**

EQY US TAQ EXCH TRADES TRF YYYYMMDD.GZ

EXCH can be

NYSE

AMEX

ARCA EQY US EXCH STOCKSUM/ **NATIONAL** EQY US EXCH STOCKSUM YYYY/ **CHICAGO** EQY_US_EXCH_STOCKSUM_YYYYMM/

EQY_US_EXCH_STOCKSUM_YYYYMMDD.GZ

Imbalances

1 file EQY_US_EXCH_REF_IMBALANCES/

EQY_US_EXCH_REF_IMBALANCES_YYYY/ EXCH can be EQY US EXCH REF IMBALANCES YYYYMM/

EQY US EXCH REF IMBALANCES YYYYMMDD.GZ **NYSE**

AMEX

ARCA Files prior to 20180806 can be found in the same directory

but are broken out into multiple files.

From 20120130 to 20180803:

EQY US ARCA REF IMBALANCES/ EQY_US_ARCA_REF_IMBALANCES_YYYY/

EQY US ARCA REF IMBALANCES YYYYMM/

EQY_US_ARCA_REF_IMBALANCES_1_YYYYMMDD.GZ/

EQY US ARCA REF IMBALANCES 4 YYYYMMDD.GZ/

From 20180102 to 20180803:

EQY_US_ARCA_REF_IMBALANCES/

EQY_US_ARCA_REF_IMBALANCES_YYYY/ EQY_US_ARCA_REF_IMBALANCES_YYYYMM/

EQY US ARCA REF IMBALANCES 1 YYYYMMDD.GZ/

EQY US ARCA REF IMBALANCES 8 YYYYMMDD.GZ/

25.5 AWS S3 DIRECTORY STRUCTURE

Using the AWS S3 infrastructure, TAQ files are accessible as follows by navigating to the desired path below:



| PRODUCT | FILE PATH AND NAME |
|--|---|
| Integrated Feed files + Stock Summary EXCH can be NYSE AMEX ARCA NATIONAL CHICAGO | PARENT DIRECORIES BY MARKET - NYSE: 9_TAQ_NYSE_INTEGRATED/ AMEX: 13_TAQ_NYSE_AMERICAN_INTEGRATED/ ARCA: 7_TAQ_NYSE_ARCA_INTEGRATED/ NATIONAL: 15_TAQ_NYSE_NATIONAL_INTEGRATED/ CHICAGO: 17_TAQ_NYSE_CHICAGO_INTEGRATED/ SUB-DIRECTORIES - Pillar-Powered Markets / Tapes: EQY_US_EXCH_IBF/ EQY_US_EXCH_IBF_YYYY/ EQY_US_EXCH_IBF_1_YYYYMM/ EQY_US_EXCH_IBF_1_YYYYMMDD.GZ EQY_US_EXCH_IBF_14_YYYYMMDD.GZ From Nov. 20, 2017 to Q3 2019 for NYSE Tape A only: EQY_US_EXCH_IBF_YYYY/ EQY_US_EXCH_IBF_YYYY/ EQY_US_EXCH_IBF_1A_YYYYMMDD.GZ EQY_US_EXCH_IBF_1A_YYYYMMDD.GZ EQY_US_EXCH_IBF_1A_YYYYMMDD.GZ EQY_US_EXCH_IBF_1A_YYYYMMDD.GZ EQY_US_EXCH_IBF_4A_YYYYMMDD.GZ EQY_US_EXCH_STOCKSUM/ EQY_US_EXCH_STOCKSUM_YYYY/ EQY_US_EXCH_STOCKSUM_YYYYYMMDD.GZ |
| BBO 2 BBO files EXCH can be NYSE AMEX ARCA NATIONAL CHICAGO | PARENT DIRECTORIES BY MARKET - NYSE: 23_TAQ_NYSE_BBO/ AMEX: 26_TAQ_NYSE_AMERICAN_BBO/ ARCA: 25_TAQ_NYSE_ARCA_BBO/ NATIONAL: 27_TAQ_NYSE_NATIONAL_BBO/ CHICAGO: 28_TAQ_NYSE_CHICAGO_BBO/ SUB-DIRECTORIES - |



EQY_US_TAQ_EXCH_BBO/
EQY_US_TAQ_EXCH_BBO_YYYY/
EQY_US_TAQ_EXCH_BBO_YYYYMM/
EQY_US_TAQ_EXCH_BBO_1_YYYYMMDD.GZ
EQY_US_TAQ_EXCH_BBO_2_YYYYMMDD.GZ

PARENT DIRECTORIES BY MARKET -

NYSE: 16_TAQ_NYSE_TRADES/

Trades

AMEX: 29_TAQ_NYSE_AMERICAN_TRADES/

1 Trades file +

ARCA: 12_TAQ_NYSE_ARCA_TRADES/

Stock Summary

NATIONAL: 30_TAQ_NYSE_NATIONAL_TRADES/
CHICAGO: 31_TAQ_NYSE_CHICAGO_TRADES/

EXCH can be

NYSE

SUB-DIRECTORIES -

AMEX
ARCA
EQY_US_TAQ_EXCH_TRADES/
NATIONAL
EQY_US_TAQ_EXCH_TRADES_YYYY/
CHICAGO
EQY_US_TAQ_EXCH_TRADES_YYYYMM/
EQY_US_TAQ_EXCH_TRADES_YYYYMMDD.GZ

EQY_US_TAQ_EXCH_TRADES_TRF_YYYYMMDD.GZ

EQY_US_EXCH_STOCKSUM/
EQY_US_EXCH_STOCKSUM_YYYY/
EQY_US_EXCH_STOCKSUM_YYYYMM/
EQY_US_EXCH_STOCKSUM_YYYYMMDD.GZ

Imbalances PARENT DIRECTORIES BY MARKET -

NYSE: 8 TAQ NYSE ORDER IMBALANCES/

EXCH can be

AMEX: 18_TAQ_NYSE_AMERICAN_ORDER_IMBALANCES/

NYSE ARCA: 19_TAQ_NYSE_ARCA_ORDER_IMBALANCES/

AMEX
ARCA SUB-DIRECTORIES -

1 file

EQY_US_EXCH_REF_IMBALANCES/
EQY_US_EXCH_REF_IMBALANCES_YYYY/
EQY_US_EXCH_REF_IMBALANCES_YYYYMM/

 ${\tt EQY_US_EXCH_REF_IMBALANCES_YYYYMMDD.GZ}$

Files prior to 20180806 can be found in the same directory

but are broken out into multiple files.



From 20120130 to 20180803:

EQY_US_ARCA_REF_IMBALANCES/
EQY_US_ARCA_REF_IMBALANCES_YYYY/
EQY_US_ARCA_REF_IMBALANCES_YYYYMM/
EQY_US_ARCA_REF_IMBALANCES_1_YYYYMMDD.GZ/
...

EQY_US_ARCA_REF_IMBALANCES_4_YYYYMMDD.GZ/

From 20180102 to 20180803:
EQY_US_ARCA_REF_IMBALANCES/
EQY_US_ARCA_REF_IMBALANCES/
EQY_US_ARCA_REF_IMBALANCES_YYYY/
EQY_US_ARCA_REF_IMBALANCES_YYYY/
EQY_US_ARCA_REF_IMBALANCES_1_YYYYMMDD.GZ/
...

EQY_US_ARCA_REF_IMBALANCES_8_YYYYMMDD.GZ/



APPENDIX C: Additional Historical File Availability

Additional history of TAQ XDP is available under the following file names:

| • | TAQ NY | 'SE American Integrated EQY_US_MKT_IBF | from 20151116 to 20170721 |
|---|--------|---|---------------------------|
| | TAO NV | 'SE Arca Integrated | |
| | O | TAQ_US_ARCA_AIF | from 20120201 to 20171129 |
| | 0 | EQY_US_ALL_ARCA_BOOK | from 20040802 to 20150501 |
| • | TAQ NY | 'SE American Order Imbalances | |
| | 0 | Ameximbalance (MFT) | from 20081201 to 20170814 |
| | 0 | Amex_Imbalance (AWS) | from 20081201 to 20170814 |
| | 0 | EQY_US_AMEX_REF_IMBALANCES_PD | from 20090623 to 20170814 |
| | 0 | EQY_US_AMEX_REF_IMBALANCES | from 20170724 to Current |
| • | TAQ NY | 'SE Order Imbalances | |
| | 0 | EQY_US_NYSE_REF_IMBALANCES_PD | from 20080514 to 20171024 |
| | 0 | EQY_US_NYSE_REF_IMBALANCES | from 20080514 to Current |
| • | TAQ NY | 'SE Arca Order Imbalance | |
| | 0 | EQY_US_ARCA_REF_IMBALANCES_1 | 20120130 to 20180803 |
| | 0 | EQY_US_ARCA_REF_IMBALANCES_2 | 20120130 to 20180803 |
| | 0 | EQY_US_ARCA_REF_IMBALANCES_3 | 20120130 to 20180803 |
| | 0 | EQY_US_ARCA_REF_IMBALANCES_4 | 20120130 to 20180803 |
| • | TAQ NY | 'SE Arca Trades | |
| | 0 | EQY_US_ALL_ARCA_TRADE | from 20041001 to 20180727 |
| | 0 | EQY_US_TAQ_ARCA_TRADES | from 20180730 to Current |
| | 0 | EQY_US_ALL_ARCA_TRADE_BUST | from 20041001 to 20140807 |
| • | | 'SE Trades | |
| | | EQY_US_NYSE_TRADE | from 20070205 to 20171106 |
| | 0 | EQY_US_TAQ_NYSE_TRADES | from 20171023 to Current |
| • | TAQ NY | 'SE American Trades | |
| | 0 | EQY_US_TAQ_MKT_TRADE | from 20151210 to 20170914 |
| • | TAQ NY | 'SE American BBO | |
| | 0 | | 20140721 to 20170721 |
| | 0 | EQY_US_MKT_BBO | 20140721 to 20151218 |
| | | FOV LIC TAO ANAEY BBO | (|

o EQY_US_TAQ_AMEX_BBO

from 20170724 to Current